MISCELLANEOUS CHEMICAL WARFARE

INFORMATION. I.G. Leverkusen.

NATIONAL LIBRARY OF MEDICINE

Ombined intelligence


Objectives Subcomm Report \$30

Downgraded at 3 year intervals;
declassified after 12 years
RESTRICTED OF

Date: 12 May 1945 OPEN

COMBINED INTELLIGENCE OBJECTIVES SUB-COMMITTEE

NATIONAL LIBRARY OF MEDICINE



(1)

MISCELLANEOUS CHEMICAL WARFARE INFORMATION

I. G. LEVERKUSEN

27 April 1945

Reported by

M. F. FOGLER U. S. CIVILIAN CWS HQ. ETOUSA

12 May 1945

CIOS Black List Item - 8 Chemical Warfare

COMBINED INTELLIGENCE OBJECTIVES
SUB-COMMITTEE
G-2 DIVISION, SHAEF (REAR) APO 413

RESTRICTED

TABLE OF CONTENTS

Subject				No.
2.		ntroduction		
	a.	Thionylchloride (SOCl ₂)	. 3	
	ъ.	Protection Against CNCl	. 3	
	C.	Tear Gas	. 3	
	d.	Artificial Fog and Its Production	. 4	
	e.	Colored Smokes		
	f.	Titanium Smokes	. 4	

PERSONNEL OF INSPECTION TEAM

Mr.	Francis J. Curtis	.CWS, Hq.	ETOUSA
	r. Charles L. McCarthy		
	Mayor F. Fogler		ETOUSA
	Col. Joseph E. Smadel		
	Col. Hamilton Southworth		
	Ernest H. Volwiler		ETOUSA

-2-

RESTRICTED

MISCELLANEOUS CHEMICAL WARFARE INFORMATION

I. G. LEVERKUSEN

1. INTRODUCTION.

The following items were briefly discussed with Dr. Klebert at Leverkusen.

a. Thionylchloride (SOCl2).

The I. G. at Leverkusen shipped SCCl₂ to Ammendorf (between Halle and Merseburg) for manufacture of poison gas. Ammendorf was said to have been a station for gas manufacture during war of 1914-18. The capacity of the SOCl₂ plant at Leverkusen is 140 tons per month and up to 90 tons per month were shipped to Ammendorf. Shipments to Ammendorf during war years were as follows:

1938	21 tons	1942	600 tons
1939	170 "	1943	700 "
1940	440 11	1944	220 "
1941	645 "	1945	

b. Protection Against CNCl.

Considerable research work was done at Leverkusen in an attempt to find a satisfactory agent for use in gas mask canisters against CNCl. General method of approach in experiments was to seal CNCl in ampoules with various agents and analyze for CNCl decomposition after a time. The work was said to have produced no worthwhile results.

c. Tear Gas.

Work was done on process for a tear gas, HCOOCCl₃ by action of phosgene on methyl formate. The phosgene presumably acted as a chlorinating agent.

$$H-G-O-CH_3 \xrightarrow{COCl_2} H-G-O-CCl_3$$

It was stated that this lachrimator was well known and that none had been produced at Leverkusen during the war.

-3-RESTRICTED

d. Artificial Fog and Its Production.

The I.G. at Leverkusen developed an apparatus used exclusively for shore installations by the German Navy for producing fogs from mixtures of SO3 and ClSO3H. The proportions of the ingredients varied with the seasons and were as follows:

	Summer	Winter
S0 ₃ C1S0 ₃ H	50% 50%	40%

The apparatus was manufactured by various small firms to drawings and specifications developed at Leverkusen. Prints are available at Leverkusen.

Leverkusen produced the SO3-ClHSO3 mixture for the Navy. The capacity was about 750 T per month and production for the Navy during the last several years has been as follows:

Year	Tons	Year		Tons
1939	111	1943		6513
1940	0	1944		5400
1941	0	1945	- Like	155
1942	1811	Total	(circa)	14,000


e. Colored Smokes.

Considerable work was done at Leverkusen under the general direction of Dr. Klebert on inorganic colored smokes. No tangible results were obtained and none were manufactured. The purpose of the smokes was for use in signal corps of German Army.

f. Titanium Smokes.

TiCl, was a product of Leverkusen and was made up to a number of formulae for smoke screens. This plant was put out of operation by bombing late in October, 1944.

> M. F. FOGLER, U. S. Civilian CWS, Hq. ETOUSA





POCUMENT SECTION

NATIONAL LIBRARY OF MEDICINE